CHANGKUN GEO

CHANGKUN GEO

DRILLING EQUIPMENT SERIES

Exploration Drilling Rigs
Drilling Tools



Company Profile

CHANGKUN GEO

CHANGKUN GEOLOGICAL EXPLORATION CO., LTD.





CHANGKUN GEOLOGICAL EXPLORATION
EMPOWERING
THE WEST AFRICAN MINING INDUSTRY




ABOUT CHANGKUN GEO

Changkun Geological Exploration Co., Ltd. was jointly founded by a team of senior geological exploration engineers and senior construction engineers. With long-term engagement in the West African mining market, the company focuses on geological exploration and mining services for gold, bauxite, and other mineral resources, accumulating extensive on-site experience in Guinea and neighboring countries.


Driven by continuous field exploration practices, Changkun has established an integrated business system covering exploration technical services, drilling rig R&D and manufacturing, drilling tools supply, and supply chain integration. The company has also set up overseas warehouses and localized service bases in West Africa, providing efficient and reliable equipment and technical support for regional mining projects.

Adhering to the core values of Integrity, Professionalism, Innovation, and Service, Changkun continuously optimizes its exploration equipment based on complex geological conditions and real operational demands. The company is committed to delivering high-quality, high-reliability drilling rigs and complete drilling solutions for mineral exploration.

At present, Changkun has established long-term and stable partnerships with several well-known mining companies across West Africa, forming a systematic and turnkey supply capability for drilling equipment and services. Its products and services have been widely applied in Guinea, Mali, Gambia, Burkina Faso, Ghana, and Sierra Leone, earning strong recognition and trust from clients in real-world operations.









Core drill rods

Drill rods for core drilling



Core drill rods are available in NQ, HQ and PQ models, each in 1.5 m and 3 m lengths. Connections follow the matching model. Order by model, length and quantity.

Model series	NQ / HQ / PQ
Lengths	1.5 m / 3 m
Connection matching	Match the corresponding tooling model

Rod dimensions

Model	Outside diameter mm	Inside diameter mm	Wall thickness mm
NQ	70.5	60.3	5.1
HQ	89.0	77.8	5.6
PQ	114.3	101.9	6.2

Core drill rods

Length and net mass per rod

Model	1.5 m net mass kg	3 m net mass kg
NQ	12.11	24.23
HQ	17.28	34.55
PQ	24.79	49.59

Values are net mass per rod; shipping mass is separate.

CHANGKUN GEO

CHANGKUN GEOLOGICAL EXPLORATION CO., LTD

Web: www.changkungeo.com

E-mail:

SERVICE@CHANGKUNGEO.COM

Whatsapp: +86 159 7291 0743

Wechat: +86 18607176746

Tang tian